

CORAL SPA 1000 LITRES WEEKLY CHEMICAL LITHIUM INSTRUCTIONS

EACH TIME THE SPA IS COMPLETELY FILLED WITH FRESH WATER

Place your **Nature 2 Stick** on the spas leaf catcher inside the filter box.

You can dispose of the two yellow sticks inside the box and just use the larger section of the Nature 2 Stick.

We recommend you cable tie the nature 2 stick to the leaf catcher to prevent it from falling into the spas plumbing.

Add 40g of **Super Shock Spa Sanitiser #3**.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

Balance the pH, Alkalinity & Calcium Hardness in the water by following the instructions listed below under ONCE A WEEK number 4.

Note: Unbalanced pH, Alkalinity & Calcium will damage your spas parts.

AFTER EACH USE OF THE SPA

1. Add 30g of **Spa Shock #8** Add straight into the water and run jet 1 for 5 minutes to mix it in.

ONCE A WEEK

Add 30g once a week of **Spa Shock #8** Add straight into the water and run jet 1 for 5 minutes to mix it in.

Clean the filter. Wash thoroughly with a garden hose, then place the filter in a bucket of cold water and add 125ml of **Filter Cleaner & Degreaser #9** or **Filter Cleaner & Degreaser 1 Litre Bottle**. Agitate the water and leave the filter submerged to soak for 24 hours, then remove the filter wash thoroughly and allow it to completely dry out.

It is recommended to have a spare filter to rotate them each week.

Top the water up with two buckets of fresh water.

Balance the water using **5 in 1 Test Strips**

Use the readings you get off the test strips to balance the:

Lithium (FREE CHLORINE on the test strip), pH, Alkalinity & Calcium Hardness

HOW TO BALANCE THE WATER

1. **FREE CHLORINE LITHIUM** ideal reading is 1-3ppm.

Each week you test the Lithium (FREE CHLORINE) it should be reading 0ppm this is normal.

If you're reading is lower than 1ppm raise the Lithium by adding 40g of **Super Shock Spa Sanitiser #3**.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

Note: Lithium will discolour the spas headrests straight away. We recommend you remove the spas headrest prior to using the Super Shock Spa Sanitiser #3 and replace them the next day.

FREE SHIPPING ON CHEMICAL ORDERS OVER \$99

Visit: www.aquapulsespas.com.au

HOW TO BALANCE THE WATER

TOTAL ALKALINITY ideal reading is 80-120ppm.

If your reading is **lower than 80ppm** raise the total alkalinity by adding **Alkalinity Increaser #4**.

17.5g will raise the Total Alkalinity by 10ppm.

Do not use more than 20g in one day.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

If you're reading is **higher than 120ppm** lower the total alkalinity by adding **pH Reducer #6**.

17.5g will lower the Total Alkalinity by 10ppm.

Do not use more than 30g in one day.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

pH ideal reading is 7.2-7.8.

If your reading is **lower than 7.2** raise the pH by adding **Alkalinity Increaser #4**.

17.5g will raise the pH by 10ppm.

Do not use more than 20g in one day.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

If you're reading is **higher than 7.8** lower the pH by using **pH Reducer #6**.

17.5g will lower the pH by 10ppm.

Do not use more than 30g in one day.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

CALCIUM HARDNESS ideal reading is 250-400ppm.

If you're reading is lower than 250ppm raise the Calcium Hardness by adding **Hardness Raiser #11**.

10g will raise the Calcium Hardness by 10ppm.

Do not use more than 83g in one day.

Mix in a bucket, once dissolved pour into the spa and run jet 1 for 5 minutes.

EVERY 4 MONTHS

Replace the Nature 2 Stick inside the spas filter box with a new Nature 2 Stick.

EVERY 6 MONTHS DRAIN THE WATER

Remove the filter and Nature 2 Stick, put 1Kg of **Spa Pipe Flusher #12** into the water before you drain the spa. Run jet 1 for at least 20 minutes, then turn the power supply to the spa off and drain the water. Place your garden hose in each jet and flush out any residue left in the pipes. Sponge out any remaining water in the spa, wipe down the complete shell with a soft cloth. Do not use any chemicals.

When refilling the spa make sure that the drain has been closed and place a hose in the filter box to refill the spa with water. Don't forget to remove the fitting off the hose.

FREE SHIPPING ON CHEMICAL ORDERS OVER \$99

Visit: www.aquapulsespas.com.au

THINGS TO NOTE

When balancing the water in your spa you should wait 4 hours between adding each chemical. The prescriptions are based on using our chemicals other branded chemicals may require different prescriptions.

5 in 1 Test Strips are not 100% accurate as the colours may be read differently by each person who reads them. We recommend that you use these test strips as a rough guide only.

You should visit us or a local pool store with a water sample once you fill the spa to get an accurate water test done to check that the balances are correct.

We recommend that you have the spa water tested weekly at a Pool & Spa Store to gain accurate results of the water chemistry. Use the results to go home and balance your spas water from the user guide supplied with your chemical pack. **DO NOT FOLLOW THE POOL OR SPA STORES RECOMMENDATIONS ON BALANCING THE WATER AS THEY WILL NOT BE SUPPLYING YOU WITH THE REQUIRED CHEMICAL LEVELS FOR YOUR SPA.** Test history should be kept as a reference as the test history will be required in the event of a warranty claim. It is a requirement of the Warranty Terms to keep a printed monthly test result of the water chemistry from a professional pool & spa store. Your warranty will be made void if you cannot show the results of monthly water chemistry history printed from a recognisable professional Pool & Spa Store.

USE OF BROMINE TABLETS or BIGUANIDE WILL VOID YOUR SPAS WARRANTY.

For more accurate home water testing, we recommend the Blue Devil Water Test Kit for Lithium (Free chlorine), pH and Alkalinity. This is available in store, and provides you with much more accurate results to maintain your spas water balance correctly. You will still need to rely on your local pool store for accurate testing of Calcium Hardness.

The chemical amounts in HOW TO BALANCE your water are only a guide for the average spa user who uses the spa once or twice a week. If your spa is more heavily used, you may need to increase the amount of **Super Shock Spa Sanitiser #3**. You can use a dose rate of 14.4g a day if you are finding you have cloudy water.

Your hardcover must always be on the spa when not in use, and the spa must always be filled with water. An empty spa on a hot day will cause melting, crazing, discolouration and blistering in the spas acrylic and fittings. This can happen within 10 minutes of the spa being emptied. Your warranty will be made void if you leave the spa empty for any period of time.

FREE SHIPPING ON CHEMICAL ORDERS OVER \$99

Visit: www.aquapulsespas.com.au